

## **SLIPOVER · PIMA**

# Design 19 - Classici 20



**Size** 36/38 (40/42, 44/46, 48)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: 300 (350, 350, 400) g of Lana Grossa Pima (100% Pima cotton; 125 m/50 g) in Nougat (col 33). Size 3.5 and 4 mm needles; size 3.5 mm circular needle, 40 cm long.

Rib patt: P2, k2.

St st: K on RS, p on WS.


**Full-fashion decrease:** At beg of RS row, selvage st, k3, k2tog; at end of RS row, work to last 6 sts, skp, k3, selvage st.

**Gauge:** 20 sts and 28 rows = 10 x 10 cm in St st on size 4 mm needles.

**Back:** With size 3.5 mm needles cast on 94 (102, 110, 118) sts. Next row (WS): Selvage st, p1, \* k2, p2; rep from \* to last 4 sts, k2, p1, selvage st. Work in rib patt as set by last row until piece meas 3 cm from cast-on, increasing 2 sts across last WS row = 96 (104, 112, 120) sts. Change to size 4 mm needles. Work in St st until piece meas 33 (33, 34, 34) cm from cast-on, ending with a WS row. Shape armholes: Bind off 4 (4, 5, 5) sts at beg of next 2 rows. Working full-fashion dec, dec 1 st at each end of next 5 (7, 8, 10) RS rows = 78 (82, 86, 90) sts. Work even until armhole meas 18 (19, 19, 20) cm, ending with a WS row. Shape shoulders and neck: At each shoulder edge bind off 6 (6, 7, 7) sts 1 time, then 6 sts 1 time, 5 sts 2 times (then 6 sts 3 times / then 7 sts 1 time, 6 sts 2 times / then 7 sts 3 times). At same time, when piece meas 1 cm from beg of shoulder shaping, shape neck as foll: Next row (RS): Bind off center 24 sts. Working each side separately, bind off 3 sts at each neck edge 1 time, 2 sts 1 time. No sts rem.

**Front:** Work same as back until piece meas 46 (47, 48, 49) cm from cast-on, ending with a WS row. Shape neck: Next row (RS): Bind off center 10 sts. Working each side separately, bind off 4 sts at each neck edge 1 time, 3 sts 1 time, 2 sts 1 time, 1 st 3 times and when same length as back to shoulders, shape shoulders same as for back. No sts rem.

**Finishing:** Pin pieces to measurements and block. Sew shoulder and side seams. <u>Collar</u>: With size 3.5 mm circular needle, pick up and k 100 sts evenly around neck edge. Place beg of rnd marker and join for working in rnds. Work rib patt in rnds for 5 cm. Bind off all sts in rib. <u>Armhole bands</u>: With size 3.5 mm circular needle, pick up and k 80 (84, 84, 88) sts evenly around armhole edge. Place beg of rnd marker and join for working in rnds. Work rib patt in rnds for 7 cm. Bind off all sts in rib. Fold armhole bands in half to WS and sew down.






www.lanagrossa.com

## Gauge Swatch

#### Before you begin ...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast-on and bind-off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.



### **Abbreviations**