



www.lana-grossa.com

PULLOVER · BACCA

Design 14 – Filati Journal 63

PULLOVER • BACCA

Design 14 – Filati Journal 63



Size 36/38 (40/42, 44)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: 550 (600, 650) g of Lana Grossa **Bacca** (100% cotton; 120 m/50 g) in Orange (col 8). Size 3.5 mm needles; size 3.5 mm circular needle, 40 cm long.

Rib patt: K1, p1.

Border patt: Multiple of 2 + 1 + 2 selvage sts. **Rows 1 – 3:** Knit all sts. **Row 4 (WS):** Selvage st, * p2tog, yo; rep from * to last 2 sts, p1, selvage st. **Rows 5 – 7:** Knit all sts.

Mesh patt: Multiple of 3 + 2 selvage sts. **Row 1:** Selvage st, * yo, k1, p2tog; rep from *, end selvage st. Rep row 1 for mesh patt.

St st: K on RS, p on WS.

Selvage sts: On every row: Knit first and last st.

Full-fashion increase: **Row 1 (RS):** Selvage st, k1, yo, k1, M1R, p2tog, patt to last 5 sts, yo, k1, M1R, p2tog, k1, selvage st. **Row 2 (WS):** Work in patt as established, purl all increased sts. **Row 3 (RS):** Selvage st, k1, yo, k1, M1L, k1, p2tog, patt to last 6 sts, yo, k1, M1L, k1, p2tog, k1, selvage st. **Row 4 (WS):** Work in patt as established, knit all increased sts. **Row 5 (RS):** Selvage st, k1, yo, k1, yo, k2, p2tog, patt to last 7 sts, yo, k1, yo, k2, p2tog, k1, selvage st.


Gauge: 19 sts and 29 rows = 10 x 10 cm in mesh patt on size 3.5 mm needles.

Back: With size 3.5 mm needles cast on 111 (119, 129) sts. Next row (WS): Selvage st, p1, * k1, p1; rep from *, end selvage st. Work in rib patt as set by last row until piece meas 8 cm from cast-on, ending with a WS row. Next row (RS): Selvage st, 1 st in St st, 107 (115, 125) sts in border patt, 1 st in St st, selvage st. Work rows 1 – 7 of border patt once, increasing 1 (2, 1) st(s) on last RS row = 112 (121, 130) sts. Next row (WS): Selvage st, 1 st in St st, 108 (117, 126) sts in mesh patt, 1 st in St st, selvage st. Work in patt as set by last row until piece meas 37 cm from cast-on, ending with a WS row. Shape underarms: Working full-fashion inc, inc 1 st at each end of next 3 RS rows = 118 (127, 136) sts. Maintaining selvage sts and 1 st in St st at each edge, cont in mesh patt for 19 (20, 21) cm, ending with a WS row. Shape shoulders and neck: At each shoulder edge bind off 4 sts 7 times, 3 sts 2 times (5 sts 2 times, 4 sts 7 times / 5 sts 7 times, 4 sts 2 times) and when piece meas 64 (65, 66) cm from cast-on, shape neck as foll: Next row (RS): Bind off center 24 (25, 24) sts. Working each side separately, bind off 8 sts at each neck edge 1 time, 5 sts 1 time. No sts rem.

Front: Work same as back until piece meas 60 (61, 62) cm from cast-on, ending with a WS row. Shape neck: Next row (RS): Bind off center 6 (7, 6) sts. Working each side separately, bind off 4 sts at each neck edge 1 time, 3 sts 6 times and when same length as back to shoulders, shape shoulders same as for back. No sts rem.

Sleeves: With size 3.5 mm needles cast on 71 (75, 79) sts. Next row (WS): Selvage st, p1, * k1, p1; rep from *, end selvage st. Work in rib patt as set by last row until piece meas 8 cm from cast-on, ending with a WS row. Next row (RS): Selvage st, 1 st in St st, 67 (71, 75) sts in border patt, 1 st in St st, selvage st. Work rows 1 – 7 of border patt once, decreasing 1 (2, 3) st(s) on last RS row = 70 (75, 79) sts. Next row (WS): Selvage st, 1 st in St st, 66 (69, 72) sts in mesh patt, 1 st in St st, selvage st. Work in patt as set by last row until piece meas 40 cm from cast-on. Bind off all sts.


Finishing: Pin pieces to measurements and block. Sew shoulder seams. **Neckband:** With size 3.5 mm circular needle, pick up and k 104 sts evenly around neck edge. Place beg of rnd marker and join for working in rnds. K1 rnd, p 1 rnd, k 1 rnd. Work rib patt in rnds until band meas 2 cm from pick-up rnd. Bind off all sts in rib. Sew on sleeves. Sew side and sleeve seams.



Gauge Swatch

Before you begin ...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast-on and bind-off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.



Abbreviations

beg = begin(ning) · **ch** = chain · **cont** = continue · **dec** = decreas(e)(ing) · **inc** = increas(e)(ing) · **k** = knit · **kwise** = as if to knit
meas = measures · **M1L** = lift strand between sts from front to back and knit this strand through the back loop · **M1R** = lift strand between sts from the back and knit this strand through the front loop · **patt** = pattern · **pm** = place marker · **p** = purl
pwise = as if to purl · **rem** = remain(ing) · **rep** = repeat(s) · **rev St st** = reverse stockinette stitch · **rnd(s)** = round(s) · **RS** = right side · **sc** = single crochet · **skp** = slip 1 stitch as if to knit, knit 1 stitch, pass slipped stitch over knitted stitch · **sk2p** = slip 1 stitch as if to knit, knit 2 together, pass slipped stitch over knitted stitch · **s2kp** = slip 2 stitches as if to knit, k 1 stitch, pass slipped stitches over knitted stitch · **sl** = slip · **st(s)** = stitch(es) · **St st** = stockinette stitch · **tbl** = through the back loop · **tog** = together · **wyib** = with yarn in back of work · **wyif** = with yarn in front of work · **WS** = wrong side · **yo(s)** = yarn over(s)

Publisher's Info

Publisher: Lana Grossa GmbH, Gaimersheim, www.lana-grossa.com

Photographer: Yannik Schütte