

before first arrow, work the 14-st pat rep between arrows 5 times, end with 1 (5) st(s) after 2nd arrow, selvage st. Next, repeat rows 2 and 3 of rib pat until back measures 4 cm from cast-on, ending with a WS row. Next RS row: Selvage st, work row 1 of chart 1 (2) for cable and eyelet rib, beg with 1 (5) st(s) before first arrow, work the 14-st pat rep between arrows 5 times, end with 9 (13) sts after 2nd arrow, selvage st = 99 (109) sts and 17 sts in each pat rep after row 1. Work row 2 of cable and eyelet rib, then repeat rows 3 – 6 until back measures 36 (37) cm from cast-on, ending with a WS row. Shape armholes: Bind off 3 sts at beg of next 2 rows. Working a slip st selvage at beg and end of rows and working full-fashion dec, dec 2 sts at beg and end of next 2 RS rows, 1 st at beg and end of next 3 RS rows = 79 (89) sts. Cont until back measures 46 (48) cm from cast-on, ending with a WS row. Divide for back slit: Work first 40 (45) sts, turn and work this side first as foll: Cast on 1 st at beg of next WS row, work to end = 41 (46) sts. Working 5 sts at slit edge in stockinette, cont in pat as established until armhole measures 19 (20) cm, ending with a WS row. Shape shoulder: Bind off 8 (10) sts at beg of next 2 RS rows, 7 (8) sts at beg of next RS row. SI remaining 18 sts to a holder. Next, work left side of back as foll: Cast on 2 sts, then with RS facing, work remaining 39 (44) sts = 41 (46) sts. Working 5 sts at slit edge in stockinette, cont in pat until left side measures same length as right side to shoulder. Shape shoulder at left edge same as for right side. SI remaining 18 sts to a holder. **Front:** Work same as for back, omitting slit, until front measures 53 (55) cm from cast-on, ending with a WS row. Shape neck: SI center 27 sts to a holder. Working each side separately, bind off 1 st at each neck edge 3 times and when front measures same length as back to shoulders, shape shoulders same as for back.

Finishing: Pin pieces to measurements and block. Sew shoulder and side seams. With RS facing, pick up and knit 71 sts along left back, front and right back neck edge, including all sts on holders. Cont in pat as established for 7 cm. Next, work 5 rows in reverse stockinette, dec 6 sts evenly on first row = 65 sts. Bind off all sts. With size 4 mm crochet hook, work 1 rnd slip st around each armhole edge. Work 1 row slip st along left back, front and right back neck edge, working 5 buttonloops at right edge of back slit as foll: * Ch4, skip 2 sts, 2 slip st; rep from * 3 times, ch4, skip 2 sts, slip st to end. Sew on buttons.

Design 05

JACKET • ALCANTO

Size 36/38 (44/46)

Instructions are given for first size. Figure in parenthesis refers to larger size. When only one figure is given, it applies to both sizes.

Materials: 350 (450) g of Lana Grossa **Alcanto** (70% polyester, 30% polyamide; 130 m/50 g) in Sand (**col 8).** Size 7 mm needles.

Charts 1, 2 and 3: Chart 1 is worked for back, chart 2 is worked for left front, chart 3 is worked for right front. Numbers at right edge of charts indicate RS rows, numbers at left edge of charts indicate WS rows.

Rib pattern: Multiple of 6 + 9 + 2 selvage sts. Beg rib pat with a WS set-up row, then work rows 1 - 4 once.


Main pattern: Multiple of 7 + 9 + 2 selvage sts. Work rows 1 - 3 of main pat once, then repeat rows 4 - 7 throughout.

Gauge: 14 sts and 17 rows = 10×10 cm in main pat on size 7 mm needles.

Back: With size 7 mm needles, cast on 65 (77) sts and work WS set-up row of chart 1 as foll: Selvage st, beg chart pat with 18 sts before first arrow, work 6-st pat rep between arrows 7 (9) times, end with 3 sts after 2nd arrow, selvage st. Next, work rows 1 – 4 of rib pat once, increasing 9 (11) sts on last WS row = 74 (88) sts. Next RS row: Selvage st, work row 1 of chart 1 for main pat, beg chart pat with 3 sts before first arrow, work the 7-st pat rep between arrows 7 (9) times, end with 20 sts after pat rep, selvage st. Cont in pat as established until back measures 36 cm from cast-on, ending with a WS row. Shape armholes: Bind off 3 sts at beg of next 6 rows = 54 (68) sts. Cont until armhole measures 20 (22) cm, ending with a WS row. Shape shoulders and neck: Bind off 5 (7) sts at each shoulder edge

twice, 6 (8) sts once. <u>At same time</u>, on first row of shoulder shaping, shape neck: Bind off center 16 (18) sts. Working each side separately, bind off 3 sts at each neck edge once. No sts remain after shoulder and neck shaping is complete.

Left front: With size 7 mm needles, cast on 40 (46) sts and work WS set-up row of chart 2 as foll: Selvage st, beg chart pat with 17 sts before first arrow, work 6-st pat rep between arrows 3 (4) times, end with 3 sts after 2nd arrow, selvage st. Next, work rows 1 - 4 of rib pat once, increasing 5 (6) sts on last WS row = 45 (52) sts. Next RS row: Selvage st, work row 1 of chart 2 for main pat, beg chart pat with 3 sts before first arrow, work the 7-st pat rep between arrows 3 (4) times, end with 19 sts after pat rep, selvage st. Cont in pat as established until left front measures same length as back to armhole. Shape armhole at right edge same as for back = 35 (42) sts. Cont



until left front measures 50 (52) cm from cast-on, ending with a RS row. Shape front neck edge: Bind off 8 (9) sts at beg of next WS row, 4 sts at beg of next WS row, 3 sts at beg of next WS row, 2 sts at beg of next WS row, 1 st at beg of next 2 WS rows and when left front measures same length as back to shoulder, shape shoulder at right edge same as for back. No sts remain after shoulder and neck shaping is complete.

Right front: Follow chart 3 and reverse all shaping. **Sleeves:** With size 7 mm needles, cast on 37 sts. Next WS row: Selvage st, k1, * p3, k3; rep from * to last 5 sts, p3, k1, selvage st. Work in rib pat as established for 4 rows, increasing 4 sts on last WS row = 42 sts. Next RS row: Selvage st, work row 1 of chart 1 for main pat, beg chart pat with 1 st before first arrow, work the 7-st pat rep between arrows 5 times, end with last 4 chart sts, selvage st. Cont in pat as established and shape sleeve as foll: Inc 1 st at beg and end of 21st (13th) row, then every foll 18th row twice (then every alternating 10th and 12th row 5 times) = 48 (54) sts. Work increased sts into main pat. Cont until sleeve measures 46 cm from cast-on, ending with a WS row. Shape sleeve cap: Bind off 2 sts at beg of next 2 rows,

Chart key:


- 🗌 = k1
- [] = p]
- \bigcirc = yo on RS, [k1, p1] into yo on WS
 - \checkmark = p2tog
 - represents "no stitch" (included to keep st count correct)
 - $\bullet = M1R$
- = slip the slipped st to cn and hold in front of work, k2, then k1 from cn
 - I edge st: on left front, k1 on RS, sl st as if to purl with yarn in back of work on WS; on right front, sl st as if to purl with yarn in front of work on RS, p1 on WS

 \bigcirc = sl 1 st as if to purl with yarn in back of work

 \bullet = sl 1 st as if to purl with yarn in front of work

then 2 sts at beg of next 2 rows, 1 st at beg of next 20 rows, 2 sts at beg of next 4 rows (then 2 sts at beg of next 4 rows, 1 st at beg of next 18 rows, 2 sts at beg of next 4 rows). Bind off remaining 12 (16) sts.

Finishing: Pin pieces to measurements and block. Sew shoulder seams. Sew in sleeves. Sew side and sleeve seams.



Design 06

PULLOVER • ALCANTO

Size 36/38 (40/42, 44/46)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: 300 (350, 400) g of Lana Grossa Alcanto (70% polyester, 30% polyamide; 130 m/50 g) in Greige (col 7). Size 8 mm crochet hook. **Main pattern:** Multiple of 3 + 1 + 3. Work according to chart. Numbers at right edge of chart indicate RS rows, number at left edge of chart indicates WS row. Work rows 1 - 3 once, then repeat rows 2 and 3 throughout.

Gauge: 11 sts and 4.8 rows = 10 x 10 cm in main pat with size 8 mm crochet hook.

Back: With size 8 mm crochet hook, ch55 (58, 64) + ch3 and work in main pat according to chart for 12 rows, wor-