

## **JACKET · STROMBOLI**

# Design 42 from Filati Journal 57



www.lanagrossa.com

**Size** 36/38 (40/42, 44)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: 450 (500, 550) g of Lana Grossa Stromboli (60% cotton, 15% viscose, 15% polyamide, 10% silk; 150 m/50 g in Eggplant/Charcoal (col 104). Size 3 and 3.5 mm needles; size 3 mm circular needle, 100 cm long; size 3 and 3.5 mm circular needles, each 60 cm long; four 18 mm mother-ofpearl buttons in black [by Union Knopf, item 452665, col 80].

Rib patt: K2, p2.

Rev St st: P on RS, k on WS.

**Gauges**: On size 3.5 mm needles: 26 sts and 36 rows = 10 x 10 cm in rev St st; 25 sts and 37 rows = 10 x 10 cm in rib patt.

**Back:** With size 3 mm needles cast on 132 (142, 152) sts. Next row (WS): For size 36/38 and 44 only: Selvage st, p2, \* k2, p2; rep from \*, end selvage st. For size 40/42 only: Selvage st, p1, \* k2, p2; rep from \* to last 4 sts, k2, p1, selvage st. For all sizes: Cont in rib patt as established until piece meas 4 cm from cast-on, ending with a WS row. Change to size 3.5 mm needles. Work in rev St st for 30 cm, ending with a WS row. Next row (RS): For size 36/38 and 44 only: Selvage st, k2, \* p2, k2; rep from \*, end selvage st. For size 40/42 only: Selvage st, k1, \* p2, k2; rep from \* to last 4 sts, p2, k1, selvage st. For all sizes: Cont in rib patt as established until piece meas 50 (51, 52) cm from cast-on, ending with a WS row. Shape shoulders: At each shoulder edge, bind off 6 (7, 7) sts once, then 6 sts 5 times, 5 sts twice (then 7 sts twice, 6 sts 5 times / then 7 sts 7 times). Bind off rem 40 sts.

**Left front**: With size 3 mm needles cast on 66 (71, 76) sts. Next row (WS): For size 36/38 only: Selvage st, \* p2, k2; rep from \*, end selvage st. For size 40/42 only: Selvage st, \* p2, k2; rep from \* to last 2 sts, p1, selvage st. For size 44 only: Selvage st, k2, \* p2, k2; rep from \*, end selvage st. For all sizes: Cont in rib patt as established until piece meas 4 cm from cast-on, ending with a WS row. Change to size 3.5 mm needles. Work in rev St st for 9 cm, ending with a WS row. Work inset pocket: Next row (RS): Selvage st, p23 (28, 33) and place sts on holder, p24 across pocket opening and turn, leaving rem 18 sts on 2nd holder. Pocket lining: Cont in rev St st across pocket lining sts only for 9 cm. K 1 RS row, then

work in rev St st for another 9 cm, ending with a RS row. Fold pocket lining in half, work across sts on 2nd holder to end of row. Next row (WS): Work to pocket lining, work across pocket lining sts, work across sts on first holder to end of row. Cont in rev St st across all sts until piece meas 34 cm from cast-on, ending with a WS row. Shape neck: Dec row (RS): Selvage st, purl to last 4 sts, p2tog, p1, selvage st. Cont in rev St st, rep dec row every 4th row 16 times, then every 6th row 3 times and when same length as back to shoulder, shape shoulder at right edge same as for back. No sts rem.

**Right front:** Work same as for left front, reversing all shaping and patt placement.

Finishing 1: Sew shoulder seams.

**Sleeves:** Sleeve stitches are picked up and the sleeve is worked from the top down. Place markers 20 (21, 22) cm down from shoulders on fronts and back. With size 3.5 mm circular needle and RS facing, pick up and k 102 (106, 112) sts evenly between armhole markers. Next row (WS): For size 36/38 and 40/42 only: Selvage st, p1, \* k2, p2; rep from \* to last 4 sts, k2, p1, selvage st. For size 44 only: Selvage st, p2, \* k2, p2; rep from \*, end selvage st. For all sizes: Cont in rib patt as established until piece meas 10 cm from pick-up row. Loosely bind off all sts in rib.


Finishing 2: Pin pieces to measurements and block. Pocket trim: With shorter size 3 mm circular needle, cast on 1 st, then pick up and k 24 sts along pocket opening, cast on 1 st = 26sts. Next row (WS): Selvage st, p1, \* k2, p2; rep from \* to last 4 sts, k2, p1, selvage st. Cont in rib patt as established until trim meas 1 cm from pick-up row. Bind off all sts in rib. Sew short edges of trim down. Sew down sides of pocket lining on WS. Sew side and sleeve seams. Front and neckband: With longer size 3 mm circular needle, pick up and k 87 sts along straight edge and 60 (62, 64) sts along shaped edge of right front, 38 sts along back neck edge, 60 (62, 64) sts along shaped edge and 87 sts along straight edge of left front = 332 (336, 340) sts. Work in rib patt until band meas 1 cm from pick-up row, ending with a WS row. Buttonhole row (RS): Patt over 11 sts, bind off 2 sts, \* patt over 22 sts, bind off 2 sts; rep from \* twice more, patt to end. Next row (WS): Work in patt, cast on 2 sts over each set of bound-off sts. Cont in patt until band meas 2 cm from pick-up row. Bind off all sts in rib.

# **JACKET · STROMBOLI**

# Design 42 from Filati Journal 57



www.lanagrossa.com



### Filati Journal 57




www.lanagrossa.com

## Gauge Swatch

#### Before you begin ...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast-on and bind-off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.



### **Abbreviations**

#### Publisher's Info