

JACKET · TREFILI

Design 22 - Filati Journal 59



Size 36 – 40 (42 – 46, 48/50)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: 450 (500, 550) g of Lana Grossa Trefili (62% cotton, 26% viscose, 12% linen; 160 m/50 g) in Camel/Ochre (col 10). Size 4 mm circular needle, 80 cm long; one set size 3 mm double-pointed needles [dpns.]

Broken rib: Work according to chart. Numbers at left edge of chart indicate WS rows, numbers at right edge of chart indicate RS rows. Chart begins with a WS row. Work to patt rep, work 2 sts between arrows for patt rep, work to end of chart. Work rows 1-5 once, then rep rows 2-5.


Gauge: 22 sts and 34 rows = 10 x 10 cm in broken rib on size 4 mm needles.

Note: Jacket is worked in two halves and side to side. Each half begins at front edge and ends at center back. Arrow on schematic shows direction of work.

Left front and half of back: With size 4 mm circular needle cast on 135 (139, 143) sts. Beg with a WS row work in broken rib according to chart for 102 (108, 116) rows and piece meas 30 (32, 34) cm from cast-on. Shape armhole: Next row (RS): Patt over 50 sts, bind off next 35 (39, 43) sts, patt to end. Next row (WS): Patt over 50 sts, cast on 35 (39, 43) sts over bound-off sts, patt to end. Cont in patt until 122 (130, 136) rows have been worked from beg of armhole shaping = 36 (38, 40) cm. Place sts on holder.

Right front and half of back: Work same as left front and half of back.

Finishing: Pin pieces to measurements and block. Join sts at center back with 3-needle bind-off. <u>Sleeve cuffs</u>: With size 3 mm dpns and RS facing, pick up and k 88 (98, 108) sts evenly around armhole edge. Arrange sts evenly on 4 needles, place beg of rnd marker and join for working in rnds. Rnd 1: * K1tbl, p1; rep from * around. Rep rnd 1 until cuff meas 14 cm from pick-up rnd. Loosely bind off all sts in patt.






Chart key:

= p1

=sl 1 pwise wyib




www.lanagrossa.com

Gauge Swatch

Before you begin ...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast-on and bind-off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.



Abbreviations

beg = begin(ning) \cdot **ch** = chain \cdot **cont** = continue \cdot **dec** = decreas(e)(ing) \cdot **inc** = increas(e)(ing) \cdot **k** = knit \cdot **kwise** = as if to knit **meas** = measures \cdot **M1L** = lift strand between sts from front to back and knit this strand through the back loop \cdot **M1R** = lift strand between sts from the back and knit this strand through the front loop \cdot **patt** = pattern \cdot **pm** = place marker \cdot **p** = purl **pwise** = as if to purl \cdot **rem** = remain(ing) \cdot **rep** = repeat(s) \cdot **rev St st** = reverse stockinette stitch \cdot **rnd(s)** = round(s) \cdot **RS** = right side \cdot **sc** = single crochet \cdot **skp** = slip 1 stitch as if to knit, knit 1 stitch, pass slipped stitch over knitted stitch \cdot **sk2p** = slip 1 stitch as if to knit, knit 2 together, pass slipped stitch over knitted stitch \cdot **s2kp** = slip 2 stitches as if to knit, k 1 stitch, pass slipped stitches over knitted stitch \cdot **s1** = slip \cdot **st(s)** = stitch(es) \cdot **St st** = stockinette stitch \cdot **tbl** = through the back loop \cdot **tog** = together \cdot **wyib** = with yarn in back of work \cdot **wyif** = with yarn in front of work \cdot **WS** = wrong side \cdot **yo(s)** = yarn over(s)