

FILATI NO. 64

FILATI

Design 6

SLIPOVER IN CABLE PATTERN



SLIPOVER IN CABLE PATTERN

Size: 36 – 40

Due to its shape, this model fits all the specified sizes.

Materials: Lana Grossa quality “**Natural Alpaca Pelo**” (63% cotton, 31% (baby) alpaca, 6% virgin wool (merino), running length = approx. 125 m/50 g): approx. **400 g** light beige (**color 6**); size 4 and 5 knitting needles, 1 size 4 circular knitting needle, 40 cm long, 1 cable needle.

Selvage sts: RS and WS row: k

Note: All edges are worked with this stitch!

Rib pattern: k2, p2 alternately.

Garter stitch: RS + WS k

Reverse Stockinette stitch: RS p, WS k

Cable pattern: Work according to the chart in rows. The numbers on the right indicate RS rows, those on the left WS rows. Read RS rows from right to left, WS rows from left to right. The sts are shown as they are worked. In WS rows not shown, work all sts as they appear. For the width, work the pattern repeat [= 46 sts] between the arrows continuously. For the height, work rows 1–56 once, then repeat rows 17–56 continuously.

Cross 10 sts to the right: Place 5 sts onto a cable needle behind the work, k5, then k5 from the cable needle.

Cross 10 sts to the left: place 5 sts onto a cable needle in front of the work, k5, then k5 from the cable needle.

Increase 1 st: k1 twisted from the horizontal strand.

Gauge: 23 sts and 24 rows in cable pattern with size 5 needles = 10 x 10 cm.

Back: Cast on 118 sts using size 4 needles. Work the ribbing in rows, beginning with a WS row and, after the selv st, start with k1, p2, k2, and end with p2, k1, selv st. After 7 cm = 15 rows from the cast-on, continue with size 5 needles as follows: selv st, 7 garter sts, p1, 115 sts in cable pattern (2x the pattern repeat and 1x the first 23 sts up to arrow a), p1, 7 garter sts, selv st. After the first row of the cable pattern, there are 133 sts on the needle due to the increase. After 34 cm = 82 rows from the ribbing,

place one marker on each side for the armholes. After 20 cm = 48 rows from the marker for the shoulder shaping, bind off 10 sts on both sides, then bind off 9 sts 4 more times in every 2nd row = 41 sts. In the following RS row, bind off the remaining 41 sts.

Note: To prevent the cast-off edge from becoming too wide, when casting off over 23 sts, work instead of 3 times k2tog, 3 times k3tog.

Front: Work as for the back, but for the neckline, after 16 cm (38 rows) from the sleeve markers, bind off the center 11 sts and continue working both sides separately. At the inner edge, for further shaping, bind off 5 sts once, 4 sts once, 2 sts once, and 1 st four times in every other row = 46 shoulder sts. Work the shoulder shaping at the same height as for the back. Finish the second side in reverse.

Finishing: Block the pieces, damp them, and let them dry.

Sew the shoulder and side seams. Using size 4 circular needles, pick up 88 sts from the neckline edge and work ribbing in rounds. After 6 cm of ribbing height, bind off all sts. Using size 4 circular needles, pick up 68 sts from each armhole edge and work in ribbing in rounds. After 2 cm of ribbing height, bind off all sts.

GAUGE SWATCH

Before you start knitting...

...make a gauge swatch. Use the recommended needles, yarns and stitch pattern for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast on and bind off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would do with the finished pieces of the garment. Count stitches and rows over 10 cm. If you count more stitches or rows, switch to larger needles. If you count fewer stitches or rows, switch to smaller needles.

ABBREVIATIONS

beg = begin(ning) · **ch** = chain · **cont** = continue · **dec** = decreas(e)(ing) · **inc** = increas(e)(ing) · **k** = knit · **kwise** = as if to knit
meas = measures · **M1L** = lift strand between sts from front to back and knit this strand through the back loop · **M1R** = lift strand between sts from the back and knit this strand through the front loop · **patt** = pattern · **pm** = place marker · **p** = purl
pwise = as if to purl · **rem** = remain(ing) · **rep** = repeat(s) · **rev St st** = reverse stockinette stitch · **rnd(s)** = round(s)
RS = right side · **sc** = single crochet · **skp** = slip 1 stitch as if to knit, knit 1 stitch, pass slipped stitch over knitted stitch · **sk2p** = slip 1 stitch as if to knit, knit 2 together, pass slipped stitch over knitted stitch · **s2kp** = slip 2 stitches as if to knit, k 1 stitch, pass slipped stitches over knitted stitch · **sl** = slip · **st(s)** = stitch(es) · **St st** = stockinette stitch · **tbl** = through the back loop · **tog** = together · **wyib** = with yarn in back of work · **wyif** = with yarn in front of work · **WS** = wrong side · **yo(s)** = yarn over(s)

SLIPOVER IN CABLE PATTERN

Chart




Chart key:

- = K1
- ▢ = P1
- ⊗ = k1 twisted
- ⊞ = inc 1 st
- ▢▢▢▢▢▢▢▢ = Cross 10 sts to the right
- ▢▢▢▢▢▢▢▢ = Cross 10 sts to the left

Stitch repeat = 40 st and 46 st after the 1st row

