

Design 12 – Merino Edition 03

# PULLOVER COOL WOOL VINTAGE

### **PULLOVER · COOL WOOL VINTAGE**

## Design 12 – Merino Edition 03



NOTE: This design works also well in COOL WOOL.

**Size** 36/38 (40/42, 44/46, 48/50)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

**Materials**: Lana Grossa **Cool Wool Vintage** (100% extrafine Merino wool; 160 m/50 g). Size 3 and 3.5 mm needles; short size 3 mm circular needle.

Version A: 100 (100, 150, 150) g each in Charcoal (col 7370), Light Grey (col 7369), Green Grey (col 7368), Petrol (col 7367) and Dark Blue (col 7366).

Version B: 100 (100, 150, 150) g each in Olive (col 7361), Mustard (col 7362), Camel (col 7363), Burgundy (col 7364) and Plum (col 7365).

Rib patt: K1, p1.

St st: K on RS, p on WS.

Rev St st: P on RS, k on WS.

**Checkerboard patt**: Worked over 12 sts and 34 rows (13 sts and 34 rows / 14 sts and 38 rows / 15 sts and 38 rows). Row 1 (RS): Selvage st, [ k12 (13, 14, 15), p12 (13, 14, 15) ] 5 times, k12 (13, 14, 15), selvage st. Rows 2 – 17 (17, 19, 19): Work sts as they appear. Row 18 (18, 20, 20) (WS): As row 1. Rows 19 – 34 (19 – 34, 21 – 38, 21 – 38): Work sts as they appear. Rep rows 1 – 34 (34, 38, 38) for checkerboard patt.

Stripe patt version A: Work 34 (34, 38, 38) rows each in Charcoal (col 7370), Light Grey (col 7369), Green Grey (col 7368), Petrol (col 7367) and Dark Blue (col 7366) alternately throughout.

Stripe patt version B: Work 34 (34, 38, 38) rows each in Olive (col 7361), Mustard (col 7362), Camel (col 7363), Burgundy (col 7364) and Plum (col 7365) alternately throughout.

**Gauge**: 24 sts and 34 rows =  $10 \times 10 \text{ cm}$  in checkerboard patt on size 3.5 mm needles.

**Back**: With size 3 mm needles and Charcoal (col 7370) for version A or Olive (col 7361) for version B, cast on 134 (145, 156, 167) sts. Beg and end with a WS row, work in rib patt for

9 rows. Change to size 3.5 mm needles. Beg and end with a RS row, work rows 1-9 (9, 11, 11) of checkerboard patt. Work rows 18-34 (18-34, 20-38, 20-38) of checkerboard patt. Change to Light Grey (col 7369) for version A or Mustard (col 7362) for version B. Cont in checkerboard patt and stripe patt for desired version until piece meas 48 (48, 54, 54) cm from cast-on, ending with a WS row. Shape shoulders and neck: At each shoulder edge bind off 7 sts 1 time, 5 sts 6 times (7 sts 6 times / 4 sts 1 time, 7 sts 6 times / 5 sts 1 time, 8 sts 6 times). At same time, when piece meas approx. 2 cm from beg of shoulder shaping and last row worked is a patt row 33 (33, 37, 37), shape neck as foll: Next row (WS) and patt row 34 (34, 38, 38): Bind off center 36 (37, 40, 41) sts. Working each side separately, bind off 6 sts at each neck edge 2 times. No sts rem.

**Front**: Work same as back until piece meas 47 (47, 52, 52) cm from cast-on, ending with a WS row. Shape neck: Next row (RS): Bind off center 36 (37, 40, 41) sts. Working each side separately, bind off 3 sts at each neck edge 2 times, 2 sts 2 times, 1 st 2 times and when same length as back to shoulders, shape shoulders same as for back. No sts rem.


**Sleeves**: With size 3 mm needles and Charcoal **(col 7370)** for version A or Olive **(col 7361)** for version B, cast on 62 (64, 68, 72) sts. Beg and end with a WS row, work in rib patt for 9 rows. Change to size 3.5 mm needles. Work in St st for 10 rows, ending with a WS row. Cont in St st and work stripe patt for desired version, working each stripe over 34 (34, 32, 30) rows. At same time, shape sleeve as foll: Inc 1 st at each end of 9 (7, 5, 5)th row from end of rib patt, then every 10th row 12 times (then every 8th row 15 times / then every alt 8th and 6th row 18 times / then every 6th row 19 times) = 88 (96, 104, 112) sts. Work even until piece meas 46 (44, 42, 40) cm from cast-on. Bind off all sts.

**Finishing**: Pin pieces to measurements and block. Sew shoulder seams. Neckband: With circular needle and Dark Blue (col 7366) for version A or Plum (col 7365) for version B, pick up and k 124 (128, 128, 128) sts evenly around neck edge. Place beg of rnd marker and join for working in rnds. Work in rib patt for 5 rnds. Bind off all sts in rib. Place markers 18 (19,5, 21, 22.5) cm down from shoulders on front and back [see \* on schematic]. Sew on sleeves between markers. Sew side and sleeve seams.

# **PULLOVER · COOL WOOL VINTAGE**

# Design 12 - Merino Edition 03








www.lana-grossa.com

### Gauge Swatch

#### Before you begin ...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast-on and bind-off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.



#### **Abbreviations**

#### Publisher's Info

**Publisher:** Lana Grossa GmbH, Gaimersheim, www.lana-grossa.com **Photographer:** Nicolas Olonetzky, www.olonetzky.com