



FILATI STUDIO No. 3 - Design 2

TOP DOWN PULLOVER



Size 32/34 (36/38 - 40/42 - 44/46 - 48/50 - 52/54)

The information for size 32/34 is in front, for all other sizes separated by dashes within the brackets. If only one number is given, it applies to all sizes. The pullover is knitted seamlessly from the top down and has a total length of 58 (60 - 62 - 64 - 66 - 68) cm and a positive ease of 40 cm at 80 cm bust circumference (37 cm at 88 cm bust circumference - 32,5 cm at 96 cm bust circumference - 26,5 cm at 104 cm bust circumference - 19,5 cm at 116 cm bust circumference - 13 cm at 128 cm bust circumference).

MATERIALS

Lana Grossa **CASHMERE 16 FINE**

80 % Virgin wool Merino, 10 % Polyamide, 10 % Cashmere
Meterage: approx. 320 m / 50 g

- **300 (300 - 350 - 350 - 400 - 400) g** taupe (col 7)
- circular knitting needles no. 4 / 40 and 60 cm
- circular knitting needles no. 4,5 / 40, 60 and 80 cm
- double pointed needles no. 4,5
- cable needle
- stitch marker

STITCH PATTERNS

Stockinette st in rnd: k all sts

Reverse stockinette st in rnds: p all sts

Garter st : RS and WS-row: k all sts

Cable: For each cable 2 sts are increased to 5 sts and later on reduced back to 2 sts. Meanwhile each cable is knitted over those 5 sts but is still given as 2 sts in the instructions.

Create cable: M1L, k1, M1L, k1, M1L = 5 sts.

Work cable: place 1 st on a cable needle and hold in back of work, k4, then k the st of the cable needle

Closing cable: sl 1 st k-wise wyib, k1, pass sl st over, k3tog = 2 sts.

Cable increases:

Before cable: pick up the strand right in front of the cable with your left needle tip from behind and k (= M1R).

After cable: pick up the strand right after the cable with your left needle tip from the front and ktbl (= M1L).

Raglan increase:

Make one left (M1L): After the 1st + 4th marker, pick up the strand between the needles with left needle tip from the front and k into the back loop.

Make one right (M1R): In front of the 2nd + 3rd marker, pick up the strand between the needles with left needle tip from the back and k into the front loop.

Sleeve decrease: K1, k2tog, knit according to pattern up until the last 3 st, skpo (slip, knit, passover = slip 1 st k-wise wyib, k1, pass sl st over), k1.

GAUGE

23 sts and 32 rnds in stockinette st with needles no. 4,5 = 10 x 10 cm

PULLOVER

Collar: With needles no. 4 cast on 116 (120 - 120 - 120 - 120 - 124) sts, join to work in the rnd and pm for BOR (= center back). Work 2 rnds in reverse stockinette st, 4 rnds in stockinette st and another rnd in reverse stockinette st. On this last rnd create 6 cables from the following sts:

17th + 18th, 29th + 30th, 46th + 47th, 60th + 61st, 77th + 78th, 89th + 90th
18th + 19th, 30th + 31st, 47th + 48th, 73rd + 74th, 90th + 91st, 102nd + 103rd
18th + 19th, 30th + 31st, 47th + 48th, 73rd + 74th, 90th + 91st, 102nd + 103rd

18th + 19th, 30th + 31st, 47th + 48th, 73rd + 74th, 90th + 91st, 102nd + 103rd
18th + 19th, 30th + 31st, 47th + 48th, 73rd + 74th, 90th + 91st, 102nd + 103rd
19th + 20th, 31st + 32nd, 48th + 49th, 76th + 77th, 93rd + 94th, 105th + 106th
Work 8 rnds in stockinette st including all cables.

Yoke: Change to needles no. 4,5 and continue in stockinette st including all cables. On the 1st rnd start increasing before and after each cable. Work increase rnds another 13x (14x - 17x - 17x - 19x - 21x) on every 4th rnd = 284 (300 - 336 - 336 - 360 - 388) sts.


Now place 2 markers on the front: 15 sts in front of the 3rd cable and 15 sts after the 4th cable.

Work another 8 rnds whilst increasing on the back and sleeves like before. On the front work cable increases only in front of the 3rd and after the 4th cable whilst additionally working raglan increases at markers 1 + 2.

Now place 2 markers on the back: 18 sts after the 1st and 18 sts in front of the 6th cable.

Work another 4x (4x - 3x - 4x - 5x - 4x) raglan increase rnds on every 2nd rnd in the back and front. No more increases are worked on the cables and sleeves = 396 (412 - 444 - 448 - 476 - 500) sts.

On the following rnd place 74 (78 - 90 - 90 - 98 - 106) sts per sleeve on hold and remove markers.



Body: Work all remaining body sts and additionally cast on 14 (16 - 16 - 16 - 16 - 18) sts at each underarm = 276 (288 - 296 - 300 - 312 - 324) sts.

On the 2nd rnd create new a cable from the 2 newly cast on center sts. When body measures 24 (24,5 - 23,5 - 25 - 24 - 24) cm from the underarm cast on change to needles no. 4. Work 4 cm in stockinette st including all cables followed by 1 rnd in reverse stockinette st whilst closing all cables. After another 4 cm in stockinette st bind off all sts.

Sleeves: With needles no. 4,5 (short circular or double pointed needles) and starting in the center of underarm cast on pick up 7 (8 - 8 - 8 - 8 - 9) sts, work all sleeve sts in stockinette st including all cables and pick up another 7 (8 - 8 - 8 - 8 - 8) from the undearm cast on = 88 (94 - 106 - 106 - 114 - 124) sts. Join to work in the rnd and pm for BOR. Work 19 (18 - 12 - 12 - 19 - 14) cm in stockinette st including 1 cable. Start decreasing on the following rnd and work sleeve decreases for a total of 11x on every 6th rnd (12x on every 6th

Note

In the total st count each cable counts as 2 sts.

FILATI STUDIO No. 3 - Design 2

TOP DOWN PULLOVER




rnd - 17x on every 6th rnd - 17x on every 6th rnd - 20x on every 4th rnd - 24x on every 4th rnd = 66 (70 - 72 - 72 - 74 - 76) sts.

When sleeves measure 40 (41 - 42 - 42 - 43 - 43) cm from the underarm cast on change to needles no. 4. Work 4 cm in stockinette st including cables followed by 1 rnd in reverse stockinette st whilst closing all cables. After another 4 cm in stockinette st bind off all sts.

Finishing: Moisten, block and let the pullover air dry. Fold collar as well as body and sleeves hems inward at the crease line. Sew on loosely and invisibly.

Tip

Body and sleeves can be knitted longer or shorter depending on your taste and individual measurements. It's worth trying on the sweater in between to find the perfect length.



ABBREVIATIONS

st(s) = stitch(es)

sl = slip

rnd(s) = round(s)

pm = place marker

BOR = beginning of round

rep cont = repeat continuously

RS = right side

WS = wrong side

k = knit

k2tog = knit 2 together

p = purl

p2tog = purl 2 together

tbl = through the back loop

wyif = with yarn in front

wyib = with yarn in back

col = color

MC = main color

CC = contrast color

yo = yarn over

ch = chain

sl st = slip stitch

sc = single crochet

dc = double crochet

hdc = half double crochet

GAUGE SWATCH

Create a gauge swatch! To do so knit a 12 x 12 cm piece in the given stitch pattern of your chosen design. Then count stitches and rows within a 10 x 10 cm area. In case there are fewer stitches or rows than stated in the instructions: Knit more tightly or use smaller needles (half to a whole needle size smaller). If you count more stitches or rows: Try knitting more loosely or use larger needles.

Note: Knitting results will vary. The gauge information on the yarn's band is based on plain stockinette stitch and should not be considered definitive.

For a perfect piece making a gauge swatch in the given stitch pattern is essential so your desired design will not only look beautiful but also fit well!