

MEN'S PULLOVER



MEN'S PULLOVER

Size 50/52 (54/56)

Instructions are given for first size. Figure in parenthesis refers to larger size. When only one figure is given, it applies to both sizes.

Materials: 950 (1000) g of Lana Grossa Alpaca Peru 100 (100% baby alpaca; 100 m/50 g) in Olive (col 113). Size 4 and 4.5 mm needles; size 4 mm circular needle, 40 cm long; cable needle [cn].

2x2 rib: K2, p2.

1x1 rib: K1, p1.

Stockinette: K on RS, p on WS.

Cable pattern: Work according to chart. Chart pat begins with 18 sts, increases to 30 sts on chart row 3. Numbers at right edge of chart indicate RS rows; on WS rows, purl all sts. Work rows 1 – 34 once, then repeat rows 11 – 34 throughout.

Full-fashion decrease: At beg of RS row, selvage st, k1, k2tog; at end of RS row, work to last 4 sts. SKP k1, selvage st.

Gauges: On size 4.5 mm needles, 21 sts and 28 rows = 10 x 10 cm in stockinette; 30 sts of the cable pat = approx. 9 cm wide.

Back: With size 4 mm needles, cast on 114 (122) sts. Next WS row: Selvage st, p1, * k2, p2; rep from * to last 4 sts, k2, p1, selvage st. Work in 2x2 rib as established for 6 cm, ending with a WS row. Change to size 4.5 mm needles. Next RS row: Selvage st, work next 11 (15) sts in stockinette, work [row 1 of chart for cable pat = 18 sts, 6 sts in stockinette] 3 times, work row 1 of chart for cable pat = 18 sts, work next 11 (15) sts in stockinette.


selvage st. Cont to follow chart, increasing 12 sts across each cable pat on chart row 3 = 162 (170) sts total. When back measures 45 cm from cast-on, shape armholes as foll: Bind off 4 sts at beg of next RS and WS row, then bind off 3 sts at beg of next 2 rows, 1 st at beg of next 2 rows = 146 (154) sts. Work even until armhole measures 23 (24) cm, ending with a WS row. Shape shoulders: Bind off 12 (13) sts at each shoulder edge twice, 11 (12) sts once, 10 (11) sts once. Bind off remaining 56 sts and at same time, k2tog 3 times across each cable pat.

Front: Work same as for back until armhole measures 19 (20) cm, ending with a WS row. Shape neck and shoulders: Bind off center 32 sts on next RS row. Working each side separately, bind off 3 sts at each neck edge once, 2 sts once, 1 st 7 times and when front measures same length as back to shoulders, shape shoulders same as for back. No sts remain after shoulder and neck shaping is complete.

Sleeves: With size 4 mm needles, cast on 54 (58) sts. Beg and end with a WS row, work in 1x1 rib for 6 cm. Change to size 4.5 mm needles. Next RS row: Selvage st, work next 17 (19) sts in stockinette, work row 1 of chart for cable pat = 18 sts, work next 17 (19) sts in stockinette, selva-ge st. Cont to follow chart, increasing 12 sts across cable pat on chart row 3 = 66 (70) sts total and shape sleeve as foll: Inc 1 st at beg and end of 7th row, then every foll 10th row 11

times = 90 (94) sts. Work even until sleeve measures 50 cm from cast-on, ending with a WS row. Shape sleeve cap: Bind off 3 sts at beg of next 2 rows, 2 sts at beg of next 2 rows. Working full-fashion dec, dec 1 st at beg and end of next 15 RS rows, then bind off 2 sts at beg of next 4 rows, 3 sts at beg of next 6 rows, 4 sts at beg of next 2 rows. Bind off remaining 16 (20) sts.

Finishing: Pin pieces to measurements and block. Sew shoulder seams. Collar: With size 4 mm circular needle, pick up and knit 110 sts around neck edge. Join for working in rnds and work 1x1 rib in rnds for 13 cm. Bind off all sts in rib. Sew in sleeves. Sew side and sleeve seams.



Chart

Chart key:


$$\square = k_1$$

■ = represents "no stitch" (included to keep st count correct)

$$\boxed{V} = M1R$$

= sl 6 sts to cn and hold in front of work, k6, then k6 from cn

= sl 6 sts to cn and hold in back of work,
k6, then k6 from cn




MEN'S PULLOVER

GAUGE SWATCH

Before you begin ...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm.

Cast-on and bind-off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.



ABBREVIATIONS

beg = begin(ning) · **cm** = centimeter(s) · **cont** = continue · **k** = knit · **k1f&b** = knit into front and back of same stitch · **m** = meter · **M1L** = lift strand between sts from front to back and k this strand through the back loop · **M1R** = lift strand between sts from the back and k this strand through the front loop · **mm** = millimeter · **p** = purl · **rem** = remaining; remain(s) · **rep** = repeat · **rnd(s)** = round(s) · **RS** = right side · **SKP** = slip 1 stitch, knit 1 stitch, pass slipped stitch over · **SK2P** = slip 1 stitch, knit 2 together, pass slipped stitch over · **S2KP** = slip 2 stitches, k1 stitch, pass slipped stitches over · **sl** = slip · **st (s)** = stitch(es) · **tbl** = through the back loop · **tog** = together · **WS** = wrong side · **yo** = yarnover