CLASSICI NO. 17

FILATI

Design 1

JACKET





Design 1

JACKET

Size 36/38 (40/42, 44/46, 48/50)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: 650 (700, 750, 800) g of Lana Grossa Fusione (30% cotton, 26% extrafine Merino wool, 25% baby alpaca, 19% polyamide; 140 m/50 g) in Light Brown Mélange (col 3). Size 6 mm needles.

Rib patt: P2, k2.

St st: K on RS, p on WS.

Rev St st: P on RS. k on WS.

Two-stitch selvage: On RS row, k1, sl 1 pwise wyib, patt to last 2 sts, sl 1 pwise wyib, k1. On WS row, sl 1 pwise wyif, p1, patt to last 2 sts, p1, sl 1 pwise wyif.

Gauge: 17 sts and 27 rows = $10 \times 10 \text{ cm}$ in St st on size 6 mm needles.

Back: With size 6 mm needles cast on 94 (98, 102, 106) sts. Next row (WS): Selvage st, p1, * k2, p2; rep from * to last 4 sts, k2, p1, selvage st. Cont in rib patt as established until piece meas 8 cm from cast-on, increasing 0 (2, 4, 6) sts evenly across last WS row = 94 (100, 106, 112) sts. Work in St st until piece meas 67 (68, 69, 69) cm from cast-on, ending with a WS row. Shape shoulders: Bind off 5 (5, 6, 6) sts at beg of next 2 rows, then 5 sts at beg of next 6 rows, 6 sts at beg of next 4 rows (then 6 sts at beg of next 10 rows / then 6 sts at beg of next 6 rows, 7 sts at beg of next 4 rows / then 7 sts at beg of next 10 rows). Bind off rem 30 sts.

Pocket lining: Make 2 alike. With size 6 mm needles cast on 21 sts. Work in rev St st for 11 cm, ending with a RS row. Place sts on holder, cut yarn.


Left front: With size 6 mm needles cast on 80 (84, 84, 88) sts. Next row (WS): Two-stitch selvage, * p2, k2; rep from * to last 2 sts, p1, selvage st. Maintaining two-stitch selvage at front edge, cont in rib patt as established until piece meas 8 cm from cast-on, increasing 1 (0, 3, 2) st(s) evenly across last WS row = 81 (84, 87, 90) sts. Work in St st until piece meas 23 cm from cast-on, ending with a WS row. Next RS (pocket opening) row: Selvage st, work in St st over next 29 (32, 35, 38) sts, bind off next 21 sts for pocket opening, work to end. Next row (WS): Selvage st, work in St st to bound-off sts, then with WS of pocket lining facing, purl 21 pocket lining sts from holder, work to end. Cont in St st across all sts until piece meas 67 (68, 69, 69) cm from cast-on, ending with a WS row.

Shape shoulder: At beg of RS rows, bind off 5 (5, 6, 6) sts once, then 5 sts 3 times, 6 sts 2 times (then 6 sts 5 times / then 6 sts 3 times, 7 sts 2 times / then 7 sts 5 times). Place rem 49 sts on holder.

Right front: Work same as left front, reversing all shaping and patt placement.

Sleeves: With size 6 mm needles cast on 46 sts. Beg with a WS row, work in St st until piece meas 8 cm from cast-on, ending with a WS row. Shape sleeve: Work even for 10 (10, 8, 8) rows. Next RS (inc) row: Work in St st, inc 1 st at each end of row = 48 sts. Cont in St st, rep inc row every 10th row 4 times, then every alt 8th and 10th row 7 times (every 8th row 13 times / every 8th row 12 times, then every 6th row 2 times / every alt 6th and 8th row 14 times, then every 6th row 2 times) = 70 (74, 76, 80) sts. Work even until piece meas 53 cm from cast-on. Bind off all sts.

Finishing: Pin pieces to measurements and block. Sew shoulder seams. Collar: With size 6 mm needles and RS facing, work across 49 held right front sts (= two-stitch selvage, k47), pick up and k 30 sts evenly along back neck edge, work across 49 held left front sts (= k47, two-stitch selvage) = 128 sts. Maintaining two-stitch selvage at each edge, work in St st until collar meas 22 cm. Loosely bind off all sts. Fold collar in half to WS and sew down. Place markers 20 (21, 22, 23) cm down from shoulders on front and back. Sew on sleeves between markers. Fold bottom 4 cm of sleeves to WS and sew down. Sew side and sleeve seams. Sew pocket linings in place.






Design 1

JACKET

Gauge Swatch

Before you begin ...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast-on and bind-off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.



Abbreviations