HOME NO. 72

FILATI

Design 48

JACKET



HOME NO. 72

JACKET

Filati

Size 36 - 40 (42 - 46, 48/50)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: **700 (750, 800) g** of Lana Grossa **Tre Seta** (40% Merino wool, 35% silk, 20% baby alpaca, 5% viscose; 130 m/50 g) in Beige **(col 5)** and **150 g** in Grey **(col 7)**. Size 4.5 mm circular needles, 80 and 120 cm long.

Selvage stitches: On every row: SI first st kwise, knit last st.

Two-stitch selvage: <u>On RS row</u>, k1, sl 1 pwise wyib, patt to last 2 sts, sl 1 pwise wyib, k1. <u>On WS row</u>, sl 1 pwise wyif, p1, patt to last 2 sts, p1, sl 1 pwise wyif.

Rib patt: K1, p1.

Half-brioche rib: Work according to chart. Numbers at right edge of chart indicate RS rows, number at left edge of chart indicates WS row. Work to patt rep, work 2 sts between arrows for patt rep, work to end of chart. Work rows 1 - 3 once, then rep rows 2 and 3. <u>Note:</u> Slipped st and yo count as 1 st.


Full-fashion increase: <u>On RS row</u>, patt to first marker, M1L&M1R, sl m, patt over next 9 sts, sl m, M1R&M1L, patt to end = 4 sts increased.

Full-fashion decrease: <u>At beg of RS row</u>, selvage st, 2 sts in patt, k3tog; <u>at end of RS row</u>, work to last 6 sts, sk2p, 2 sts in patt, selvage st – 2 sts decreased at each edge.

Colorblock patt: 18 cm Grey, 2 cm Beige, 2 cm Grey, remainder Beige.

Gauge: 19 sts and 37 rows = 10×10 cm in half-brioche rib on size 4.5 mm needles, measured with pieces laid flat.

Note: Jacket is worked side to side. Arrow on schematic shows direction of work.



Left front and left half of back: With shorter size 4.5 mm circular needle and Grev cast on 85 sts for left sleeve. Next row (WS): Selvage st, * p1, k1; rep from * to last 2 sts, p1, selvage st. Work in half-brioche rib according to chart and work colorblock patt for 20 rows. Place marker before and after center 9 sts. Shape overarm/shoulder: Next RS (inc) row: Work in patt and working full-fashion inc, inc 2 sts before first marker and after 2nd marker = 4 sts increased and 89 sts. Cont in patt, rep inc row every 20th row 9 times. At same time, shape sleeve as foll: Working full-fashion dec, dec 2 st at each end of 28th row from cast-on, then every 26th row 2 times. At same time, when piece meas 37 cm from cast-on, inc 1 st at each end of next RS row, then every alt RS row 5 times, then cast on 2 sts at beg of next 4 rows, 3 sts at beg of next 4 rows, then cast on 59 sts at beg of next 2 rows for back and left front side edge. Change to longer size 4.5 mm circular needle as necessary. Working a two-stitch selvage at each edge and rem sts in half-brioche rib as established, work to end of overarm/shoulder shaping = 263 sts, then work even until piece meas 10 (12, 14) cm from side edge cast-on, ending with a WS row. Divide for back and left front: Next row (RS): Patt over 131 sts and turn, leaving rem 132 sts on hold. Back: Next row (WS): Cable cast on 1 st (= selvage st), patt to end = 132 sts. Cont in patt until back meas 9 cm from divide, ending with a WS row. Place sts on holder. Left front: Return 132 held sts to needle and with RS facing rejoin yarn. Next row (RS): Cable cast on 18 sts for collar, patt to end = 150 sts. Working newly cast-on collar sts into half-brioche rib, work even until left front meas 12 cm from divide, ending with a RS row. Next row (WS): Selvage st, * p1, k1; rep from * to last 2 sts, p1, selvage st. Next row (RS): Bind off all sts in rib.

Right front and right half of back: Work same as left front and left half of back, reversing all shaping.

Finishing: Pin pieces to measurements and block. Join back halves with 3-needle bind-off. Sew side and sleeve seams. With mattress st and from WS sew collar sts tog, then sew collar to back neck edge. <u>Note:</u> Jacket stretches approx. 10 cm in length when worn.

Chart key:

- 🕂 = selvage st
- __ = k1
- Θ = make a yo, then sl next st pwise
- \bigoplus = ktog slipped st with its yo

/


/

HOME NO. 72

Filati

Design 48

JACKET



Before you begin ...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast-on and bind-off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.

/

Abbreviations

beg = begin(ning) \cdot **ch** = chain \cdot **cont** = continue \cdot **dec** = decreas(e)(ing) \cdot **inc** = increas(e)(ing) \cdot **k** = knit \cdot **kwise** = as if to knit **meas** = measures \cdot **M1L** = lift strand between sts from front to back and knit this strand through the back loop \cdot **M1R** = lift strand between sts from the back and knit this strand through the front loop \cdot **patt** = pattern \cdot **pm** = place marker \cdot **p** = purl **pwise** = as if to purl \cdot **rem** = remain(ing) \cdot **rep** = repeat(s) \cdot **rev** St st = reverse stockinette stitch \cdot **rnd(s)** = round(s) \cdot **RS** = right side \cdot **sc** = single crochet \cdot **skp** = slip 1 stitch as if to knit, knit 1 stitch, pass slipped stitch over knitted stitch \cdot **sk2p** = slip 1 stitch as if to knit, knit 2 together, pass slipped stitch over knitted stitch \cdot **s2kp** = slip 2 stitches as if to knit, k 1 stitch, pass slipped stitch es over knitted stitch \cdot **sl** = slip \cdot **st(s)** = stitch(es) \cdot **St st** = stockinette stitch \cdot **tbl** = through the back loop \cdot **tog** = together \cdot **wyib** = with yarn in back of work \cdot **wyif** = with yarn in front of work \cdot **WS** = wrong side \cdot **yo(s)** = yarn over(s)

/

www.filati.cc