

SLIPOVER FEELGOOD

---





## SLIPOVER FEELGOOD

**Size:** 36-40 (42-46 – 48-52) The sweater has a bust width of approx. 33-45 cm. The information for sizes 42 to 52 is in brackets. If only one specification is given, it applies to all sizes. Our model Johanna is 180 cm tall. She has a chest circumference of 98 cm and wears the sweater in size 36-40.

**Material:** Lana Grossa "Puro Vegano" (65% cotton, 20% Tencel, 15% Polyamide, running length 90 m / 50 g): for the slipover **650 (700 - 750) g** light green (**color 15**) 1 size 5 circular knitting needle, 80 cm long, 1 size 5 circular knitting needle, 40 - 60 cm long, set double pointed needles size 5, 1 cable or auxiliary needle, 2 stitch markers, 2 stitch holders, 110-120 cm long cord or shoelaces, wool needle; scissors

**Gauge:** St. st. with size 5 needles: 16-17 sts and 22 rows = 10 x 10 cm

**St. st. In rows:** RS k, WS p

**St. st. In rounds:** k

**Double edge sts:** The double edge sts are knitted in rib along each side over 2 sts each.

**On RS** k, 2nd sl pwise wyib, patt to last 2 sts, sl 1 pwise wyib k.

**On WS** sl 1 pwise wyif, p2, patt to last 2 sts, p1, sl 1 pwise wyif.

**Seam selv stitch:** RS: k. WS: p.

**Rib Pattern 1:** RS: selv st, k2, \*p1, k2; rep. from \* to end. WS: work all sts. how they appear

**Rib Pattern 2:** \*k1, p1; repeat from \* to the end.

**Structural pattern:** On each RS row, move the cables one st further outwards. Rib pattern 2 is worked between the cables.

**Back:** cast on 99 (111 – 123) sts with the long circular needle and work in rows. Next row (WS): double selv sts, p2, \*k1, p2; Repeat until the last 2 sts, double selv sts.

Continue with rib pattern 1 in this stitch division for the next 10 cm and finish with WS. Next row (RS): k double selv sts tog. and continue as a seam selv st. (97 (109 – 121) sts). Next row (WS): Seam selv st, 6 sts in rib pattern 1, place stitch marker, p 83 (95 – 107) sts, place stitch marker, 6 sts in rib pattern 1, seam selv st. 1st row (RS): Seam selv st, 6 sts in rib pattern 1, slip stitch marker, k to stitch marker, slip stitch marker, 6 sts in rib pattern 1, seam selv st. 2nd row (WS): Seam selv st, 6 sts in rib pattern 1, slip stitch marker, p to stitch marker, slip stitch marker, 6 sts in rib pattern 1, seam selv st.

Rep 1st-2nd 8 times on every 10th row (always from RS)

**Work increases as follows:** Increase row (RS): Seam selv st, 6 sts in rib pattern 1, slip stitch marker, right inclined incr, k to stich marker, left inclined incr, slip sstitch marker, 6 sts in rib pattern 1, seam selv st (+ 2 sts). For the slipover, at the same time, at a height of about 33 (29 - 29) cm, increase 1 additional st on each side for the later armhole opening. To do this, double the first and last st and now work these two sts again as double sts. Rep 1st-2nd row until the piece measures 53 cm from cast on. (113 (125 – 137) sts).

**Shoulder shape - for sizes 36-40:** Cast off 3 sts 11x on each side in every other row but cast off 3 sts at the beginning of each RS and WS.

**Shoulder shape - for sizes 42-46:** Cast off 3 sts 6x and 4 sts 5x on each side on every other row alternately but cast off 3 or 4 sts at the beginning of each RS and WS.

**Shoulder shape - for sizes 48-52:** Cast off 11x 4 sts on each side in every other row but cast off 4 sts at the beginning of each RS and WS.

**Shoulder shape – for all sizes:** the remaining 47 (49 – 49) sts put on holder for the neckline. Total height approx. 63 cm.

**Front:** Begin like back, working rib pattern 1 for 5 cm instead of 10 cm. Repeat the increases as for back. At 36 cm from cast on, begin the structural pattern over the middle 7 sts on the next row. The first 16 rows are drawn in the chart, then continue the pattern accordingly and move the cables one st further out in each 2nd row. From 48 cm from cast on, start with the shoulder shape as with the back. Start with the neckline at 55 cm from cast on. Put the middle 19 (21 – 21) sts on a holder and then finish each shoulder piece separately. To round the neckline, cast off 4 sts 2x, then 3 sts 2x on the 2nd row. Total height approx. 58 cm.

**Finishing:** Sew all threads. Clamp the parts to their cut size, moisten them and allow them to dry. Close the shoulder seams. Insert the sleeves and close the bottom sleeve seam and the side seams so that the two side slits (for sweater and slipover) and the openings for the armholes (for slipover only) remain.

**Hooded collar:** Starting at the right shoulder seam, pick up the 47 (49 - 49) sts on the back, pick up 14 sts along the front, pick up the 19 (21 - 21) sts on the front, pick up 14 sts along the front and close round. (94 (98 – 98) sts). Place a stitch marker at the end of the round.

Work rib pattern 2 for 3 cm, continue including the ribs on the front piece accordingly. Next row (RS): 59 (61 – 61) sts, the next 23 sts in the middle put on hold, turn work. (71 (75 – 75) sts). Next row (WS): p all, removing the stitch marker at the beginning of the round. The beginning of the row corresponds to the right edge of the hood.

Work St st in rows until this part is approx. 25-26 cm high.




**Hood rounding:** Next row (RS): k 30 (32 – 32) sts, place stitch marker, k 11, place stitch marker, k2tog twisted, turn work, slip st pwise, loosely wyif, slip stitch marker, p 11, slip stitch marker, p2tog, turn work. Next row (RS): slip st pwise, slip stitch marker, k 11, slip stitch marker, k2tog twisted, turn work, slip st pwise, loosely wyif, slip stitch marker, p 11, slip stitch marker, p2tog, turn work. Repeat the last row until all hood sts have been worked in. (13 sts).

**Tube band:** Next row/round: k all, remove stitch holder, pick up 42 sts along the edge of the hood, k the 23 sts from stitch holder, mark the middle st (center front), pick up 42 sts along the second edge of the hood and close them to round. (120 sts). Work 2 rds in St st. To open the drawstring, k 2tog on the

### SLIPOVER FEELGOOD

right and left of the center front and work 1 yo. Cont 3 rds in St st, on the 1st rnd work the 2 yo in St st. For the fold edge, p for 1 rnd. Work 6 rnds in St st. Bind off all sts loosely. Sew the remaining threads, fold the band inwards along the fold edge, insert the cord and thread it through the two openings and sew the band on the inside.

**Section drawing for size 36-40 / 42-48 / 48-52.**  
All information in cm



**Chart key**

- = RS: k, WS: p
- ◻ = RS: p, WS: k
- ◁ ▷ = Place 1 st on the cable needle behind the work, k the next two sts, then p the sts on the cable needle.
- ▷ ◁ = Place 2 sts on the cable needle in front of work, p the next st, then k the sts on the cable needle.
- ◁ ▷ = Place 1 st on the cable needle behind the work, k the next two sts, then k the st on the needle.
- ▷ ◁ = Place 2 sts on the cable needle in front of work, k the next st, then k the sts on the cable needle.

## SLIPOVER FEELGOOD

## GAUGE SWATCH

Before you begin knitting...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast on and bind off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.

## ABBREVIATIONS

**k** = knit; **p** = purl; **st** = stitch; **sts** = stitches; **rnd** = round; **rnds** = rounds; **tog** = together; **St st** = Stockinette stitch; **yo** = yarn over; **wyif** = with yarn in front of work/st; **wyib** = with yarn in back of work/st; **selv** = selvage

**Double stitch:** slip st pwise. working thread above the left needle pull firmly backwards until both stitch legs are on the needle. Later, work these two stitch legs together like 1 st.

**Stockinette st:** RS k, WS p, k in rnds

Reverse stockinette st: RS + WS k, in rnds 1 rnd k, 1 rnd p, altern.

**Left inclined increase:** Take the cross thread on the left needle and k twisted. (from behind).

**Right inclined increase:** Take the cross thread from behind on the needle and k. 1 m1: knit one st from the cross thread, without twisting. slip st pwise: slip st pwise, wyif.

**k 1 double:** k 1, st remains on left side and k twisted through the back limb.

**k3tog accentuated:** slip 2 sts, k1, pass the slipped sts over.

If there is a stitch marker in the middle, remove it and put it behind the new st

**Italian cast off:** \*Pull the thread through the first left st from left to right. From right to left through the left half of the previous right st on the needle and at the same time through the next right st. This is the third st on the needle. Insert the wool needle through and pull the thread taut. Pull the thread from right to left through the first left st and let two sts - one left and one right - slip off the needle. Tighten thread; from \* repeat. until all sts have been cast off.

**Crochet stitch cast on:** For this cast on you will need also a crochet hook. Make with the working yarn a loop knot and place it on the crochet hook.

Hold the knitting needle in your left hand along with the end of the working yarn. \*Wrap the thread around the knitting needle (counterclockwise). Crochet a chain stitch. Repeat from \* until you have cast on one st less than desired.

Now place the loop on the crochet hook on the knitting needle. Start knitting.